



ARTICOLO / Item
 Artículo / Article

09220/L

RI


- Colonna doccia inox con rubinetti per doccia e lavapiedi monoacqua a chiusura temporizzata.
- Stainless steel foot and shower tower with self-closing taps.
- Columna ducha inox con grifos para ducha y lavapies temporizados de un agua.
- Colonne de douche inox équipé de 1 robinet douche temporisé et 1 robinet lave-pied temporisé.



Struttura / Frame / Estructura / Structure	AISI 316
N° di erogatori doccia / Delivery points / N° de suministradores / N° de robinets de duche	1
N° di erogatori lavapiedi / Feet-washing Delivery points / N° de suministradores lavapies / N° de robinets lave-pied	1

DOCCIA / Shower / Ducha / Duche	
Portata / Flow rate / Caudal / Débit	8 l/min (limitata/regulated/limitada /limité)
Pressione di alimentazione / Operating pressure / Presión de alimentación / Pression d'alimentation	Min 1 max 6 [bar]
Pressione raccomandata / Recommended pressure / Presión recomendada / Pression recommandé	2 - 4 [bar]
Temperatura di alimentazione / Water temperature / Temperatura de alimentación / Température d'alimentation	5 - 65 °C
Tempo di erogazione / Flow time / Tiempo de descarga / Temporisation	15 +/- 5 [sec] @ 3 [bar] Non modificabile/fixe / tiempo invariable / fixe

LAVAPIEDI / Feet-washing / Lavapies / Lave-pied	
Portata / Flow rate / Caudal / Débit	5 l/min (limitata/regulated/limitada /limité)
Pressione di alimentazione / Operating pressure / Presión de alimentación / Pression d'alimentation	Min 1 max 6 [bar]
Pressione raccomandata / Recommended pressure / Presión recomendada / Pression recommandé	2 – 4 [bar]
Temperatura di alimentazione / Water temperature / Temperatura de alimentación / Température d'alimentation	5 – 65 °C
Tempo di erogazione / Flow time / Tiempo de descarga / Temporisation	8 [sec] @ 3 [bar] Non modificabile/ fixed / tiempo invariable / fixe





Varianti / Other versions / Variantes / Versions	
09230/L	Con rubinetti monoacqua a chiusura manuale / with single water operated taps / con grifos de un agua sin temporización / Avec robinets lave-pied à commande manuel
09231/L	Con miscelatore monocomando a dischi ceramici (doccia) e rubinetto (lava piedi) a chiusura manuale / with ceramic disks mixer (shower) and single water tap (foot washer) manual operated / con mezclador monomando con discos cerámicos (ducha) y grifo (lavapies) sin temporización / avec 1 mitigeur (douche) et 1 robinet (lave-pied) à disques en céramique à commande manuel.

ARTICOLO / Item
 Artículo / Article

09224

RI

- Colonna doccia inox con 4 erogatori indipendenti monoacqua a chiusura temporizzata.
- Stainless steel shower tower with 4 independent shower heads equipped with self-closing taps.
- Columna ducha inox con 4 suministradores independientes de un agua temporizados.
- Colonne de douche inox équipé de 4 robinets temporisés indépendants.



Struttura / Frame / Estructura / Structure	AISI 316
N° di erogatori / Delivery points / N° de suministradores / N° de Distributeurs	4
Portata / Flow rate / Caudal / Débit	8 l/min (c/limitatore, w/flow limiter, c/limitador de caudal, avec limiteur de débit)
Pressione di alimentazione / Operating pressure / Presión de alimentación / Pression d'alimentation	Min 1 max 6 [bar]
Pressione raccomandata / Recommended pressure / Presión recomendada / Pression recommandé	2 – 4 [bar]
Temperatura di alimentazione / Water temperature / Temperatura de alimentación / Température d'alimentation	5 – 65 °C
Tempo di erogazione / Flow time / Tiempo de descarga / Temporisation	15 +/- 5 [sec] @ 3 [bar] Non modificabile/fixed / tiempo invariable / fixe

DETTAGLI / DETAILS

